

# STREAMLINE® HVAC & REFRIGERATION OFFERING

- Copper Tube
- Line Sets
- Copper Fittings
- Brass 45° Flare Fittings

- Refrigeration Valves
- Filter Driers
- Sight Glasses
- Accumulators

- Receivers
- PVC Sch. 40 Fittings
- PVC DWV Fittings
- ABS DWV Pipe / Fittings



***Streamline®***  
Tube • Fittings • Valves

Mueller Streamline Co. • 8285 Tournament Drive, Suite 150 • Memphis, TN 38125 • [www.muellerindustries.com](http://www.muellerindustries.com)

Customer Service: 1.800.846.9750



***Streamline***<sup>®</sup>

Tube • Fittings • Valves

THE INDUSTRY'S FINEST PRODUCTS.  
**80 YEARS & COUNTING.**



STANDARD AND MINI SPLIT LINE SETS

A BRAND OF MUELLER INDUSTRIES





## Standard and Mini Split Line Sets

Streamline® Line Sets have been the industry leader for decades. We leverage our many years of experience and expertise producing copper tube in every line set we make.



### Streamline® Advantages

- Copper Tube UL Recognized to 700 PSI
- Integrated production processes eliminate kinking and work hardening associated with other line sets
- R410A Engineered and Tested
- 10 year warranty
- Made in USA

**cUL<sup>®</sup> US 700 PSI R410A**



### Another Industry First: UL Recognized Copper Tube & Fittings

Streamline® copper tube and copper fittings are the industry's first such products to be UL Recognized to 700PSI\*. This extensive testing and additional third party verification through Underwriters Laboratories (UL) is our commitment to assuring customers that our products will meet the higher pressure demands of modern refrigerants.

## Insulation

- Meets ASTM B1003
- Meets ASTM C-534 & ASTM E-84 Fire & Smoke Rating
- Flexible in all thicknesses with relaxed ID's
- Closed cell elastomeric foam
- Resists mold & mildew
- UV retardant added to minimize ultraviolet degradation



## "R" Values

Pipe Insulation ID Size	Nom. 3/8"	Nom. 1/2"	Nom. 3/4"	Nom. 1"
3/8"	2.5	3.2	5.4	-
1/2"	2.4	3.2	5.2	-
5/8"	2.3	3.2	5.2	6.7
3/4"	2.2	3.1	5.1	6.5
7/8"	2.2	3.1	5.0	6.5
1-1/8"	2.1	3.0	5.4	6.8

## Options

Streamline line sets are available in lengths from 10' to 100' with various custom options and connections to meet every need.

### Taping & T-Stat Wire



### Bends



### Dual Tube



### Mini-Split Cable



### Flare Fittings

